

Bohner's Lake Sanitary District

District Permit No. _____

PERMIT TO CONNECT TO DISTRICT FACILITIES

Owner's Mailing Address:

Name: _____

Street: _____

City/State/Zip: _____

Telephone No. _____

Permit Address:

Street: _____

City/State/Zip: _____

Parcel Description: (Subdivision Name, Lot, Block)

Tax Key No. _____

Plumbing Contractor's Address:

Name: _____

Street: _____

City/State/Zip: _____

Telephone No. _____

Connection Plan Prepared By:

Name: _____

Street: _____

City/State/Zip: _____

Telephone No. _____

Connection Permit Requested:

Connection to Existing Lateral _____ Connection to Mainline Sewer _____ Connection to Manhole _____

Anticipated Construction Start Date: _____

(Contact District Engineers: Baxter & Woodman, Inc. 48 hours prior to excavation at 262.763.7834)

The undersigned and designated applicant binds and obliges themselves to construct the improvements in accordance with the conditions herein.

APPLICANT

DATED

APPROVED: _____

BOHNER'S LAKE SANITARY DISTRICT

DATED

CONNECTION FEE PAID: _____

RECEIVED BY: _____

CONNECTION FEE: \$4,365 PER UNIT. MAKE CHECKS PAYABLE TO THE BOHNER'S LAKE SANITARY DISTRICT.

Review of the proposed project does not include verification of any existing conditions shown. The owner and their agents are responsible for the correct representation of existing field conditions and compliance with District ordinances and standards. This permit does not relieve the owner of any liability or responsibility regarding connection to District facilities.

Permit Provisions and Conditions of Approval

This permit is granted to allow the specific work described herein. The following standard provisions and any attached special provisions shall apply:

1. The Applicant agrees to indemnify and hold harmless the District, its officers, employees, and agents, and shall defend the same, from and against any and all liability, claims, loss, damages, interest, actions, suits, judgements, costs, expenses, attorney's fees, and the like to whomsoever and whenever brought or obtained, which in any manner results from or arises in the course of, or to, or as a result of the negligent performance of the work authorized under this permit, and negligent construction or operation of the improvements covered hereby, the violation of any law or ordinance, the infringement of any patent, trademark, trade name, or copyright.
2. The permitted work shall be installed in accordance with the approved connection plan, Federal, State, and local codes, and Town & District requirements. Any part of the work found to be otherwise constructed shall be subject to correction at the Applicants cost.
3. Any information provided by the District or their agents is based on the best available information and is not necessarily complete. Verification of all information provided is the responsibility of the Applicant.
4. Comply with all OSHA rules and regulations during construction.
5. Protect existing underground utilities and District facilities from damage. Make such exploration as is necessary to determine the exact location of existing utilities.
6. No building shall be connected to the sanitary sewer system until such building is completely enclosed, the outside walls backfilled, all sanitary sewer lines in basement floors installed and inspected by the Building Inspector, and permanent basement floors constructed.
7. No permit shall be issued to connect garage floor drains to the sanitary sewer system.
8. Provide ASTM D3034 PVC sewer pipe and fittings. Provide 6-inch wye branch fittings, riser pipes, and service lines within the road right-of-way.
9. Keep a record of branch fitting, riser pipe, and service line locations by measurement to the nearest downstream manhole. Deliver the records to the District Engineer on completion of the Work.
10. Provide a locator wire over all sanitary lateral pipes consisting of a No. 10 single strand, single conductor, insulated copper wire taped to top of pipe extending from sewer main or connection point to structure. Provide a 2-1/2" X 18" long PVC terminal post with screw cap at structure or end of lateral extending locator wire inside terminal post to top for access. Set terminal box flush with the finished grade.
11. Reconnect existing drain tiles disturbed during trenching operations with the same size and material drain tile or PVC SDR 26 with watertight couplings.
12. Over excavate soft, spongy, or other unsuitable soil encountered at the bottom of the pipe barrel and replace with granular material.
13. Any excavation within the Town road right-of-way shall be backfilled and restored in accordance with the requirements of the Town of Burlington.
14. Provide and maintain erosion control devices as required and as needed to contain sediment from the construction activities until vegetation is established. Remove all erosion control devices after vegetation is established.
15. The permitted facilities shall, if necessary, be uncovered for an inspection at the expense of the Applicant if arrangements are not made in advance for an inspection of the work.
16. A copy of this permit, along with any plans or special provisions, shall be available at the job site.

Items Required for Sanitary Sewer Connection Review

The following information shall be provided or shown on the permit application or Sanitary Sewer Connection Site Plan:

- Name, address and phone number of owner.
- Name, address and phone number of plumber.
- Name, address and phone number of individual who prepared the Site Plan.
- All existing right-of-way, topographic, and utility information on the site and adjacent lands or road right-of-way shall be shown on the drawing including:

- √ Right-of-way and lot lines
- √ Easements
- √ Existing homes
- √ Sanitary sewer mainline pipe
- √ Existing lateral or wye location
- √ Manhole locations
- √ Power poles
- √ Pavement

- All proposed improvements including:

- √ Lateral location.
- √ Pipe size (min. 6" within the road right-of-way) and material.
- √ Risers, fittings, connectors, etc.
- √ Bedding and backfill material.
- √ Lateral pipe location wire and terminal post type.

Note: A copy of the District's record drawings marked up with the appropriate data will be acceptable.

Submit Site Plan and required data to the District's Engineers at last 3 days before requiring action:

Baxter & Woodman, Inc.
256 South Pine Street
Burlington, WI 53105

Approval of the site plan by the District and payment of connection fees are required prior to the District issuing a Connection Permit. The applicant will then deliver the District Connection Permit and connection fee receipt to the Town Building Inspector for issuance of Town permits.